

ANGULOS IMPORTADOS


Angulares de lados iguales

Tolerancias dimensionales ASTM A6/A6M

Calidades del acero

ASTM A6/A6M

A572 grado 50



L	DIMENSIONES				ÁREA cm ²	PESO kg/m	DISTANCIA DE LOS EJES				MOMENTO RESPECTO A LOS EJES								
	(mm)						e	w	v ₁	v ₂	x - x = y - y			E-E		n - n			
	a	s	r ₁	r ₂							I _x	S _x	R _x	I _E	R _E	I _n	R _n	S _n	
	cm	cm	cm	cm							cm ⁴	cm ³	cm	cm ⁴	cm	cm ⁴	cm	cm	
120X	8	120	8.0	13.0	4.8	18.70	14.70	3.23	8.49	456	4.22	255.00	29.10	3.69	405.00	4.65	105.00	23.60	2.37
	10		10.0			23.10	18.20	3.31		4.68	4.24	313.00	36.00	3.68	497.00	4.73	129.00	27.60	2.37
	12		12.0			27.50	21.60	3.40		4.80	4.26	368.00	42.70	3.65	584.00	4.60	152.00	31.60	2.35
150X	12	150	12.0	16.0	8.0	34.80	27.30	4.12	10.60	5.83	5.29	737.00	67.70	4.60	1170.00	5.80	303.00	52.00	2.95