


TUBERIA CONSTRUCCION REDONDA

Tubería para construcción (Lcc)

Materia prima:

ASTM – A569. Laminado en caliente



DIAMETRO NOMINAL	DIMENSIONES DIMENSIONS	ESPESOR THICKNESS	PESO WEIGHT		SECCION SECTION	I	S	R
NOMINAL DIAMETER	EXTERNAL DIAMETER		Kg/m	lb/ft	cm ²	cm ⁴	cm ³	cm
pulg	mm	mm						
1/2	20.0	1.90	0.865	0.581	1.08	0.447	0.447	0.64
1/2	20.0	2.00	0.906	0.608	1.13	0.464	0.464	0.64
3/4	26.0	1.90	1.152	0.774	1.44	1.051	0.808	0.85
3/4	26.0	2.00	1.207	0.811	1.51	1.093	0.841	0.85
1	32.0	2.00	1.494	1.003	1.88	2.130	1.331	1.06
1	32.0	2.30	1.718	1.154	2.15	2.380	1.488	1.05
1	32.0	2.60	1.942	1.305	2.40	2.615	1.634	1.04
1 1/4	41.3	2.30	2.255	1.515	2.82	5.376	2.604	1.38
1 1/4	41.3	2.60	2.549	1.712	3.16	5.945	2.879	1.37
1 1/2	47.6	2.30	2.622	1.761	3.28	8.432	3.541	1.60
1 1/2	47.6	2.60	2.945	1.979	3.68	9.351	3.927	1.59
1 1/2	47.6	2.90	3.306	2.221	4.07	10.214	4.292	1.58
2	60.3	2.30	3.357	2.255	4.19	17.673	5.859	2.05
2	60.3	2.60	3.775	2.536	4.72	19.679	6.524	2.04
2	60.3	2.90	4.233	2.844	5.23	21.592	7.162	2.03
2 1/2	73.0	2.60	4.606	3.095	5.75	35.711	9.781	2.49
2 1/2	73.0	2.90	5.137	3.452	6.39	39.297	10.766	2.48
3	88.9	2.90	6.273	4.215	7.84	72.518	16.315	3.04
4	114.3	2.90	8.126	5.460	10.15	157.546	27.567	3.94